

# **Section 1: Identification of the Product/Company**

**Product Identifier:** 

Product Name: COLOR HARDENER Product Code: 1530-5A through 1530-5B

#### Relevant identified uses of the substance or mixture

Recommended use:

As a cement color hardener

Uses advised against:

No additional information available

Details of the supplier of the safety data sheet

Manufacturer:

Super Stone Inc.

1251 Burlington Street Opa-Locka, FL 33054

**United States** 

www.superstone.com

Telephone (General) (305) 681-3561

**Emergency telephone number** 

Manufacturer: (800) 424-9300 (Chemtrec) USA

+ 1 (703) 527-3887 (Chemtrec) International

# **Section 2: Hazards Identification**

# Classification of the substance or mixture GHS-US classification

Hazardous to aquatic environment acute toxicity:

Acute toxicity, inhalation:

Acute toxicity, dermal:

Acute toxicity, oral:

Category 5, H313

Category 5, H313

Category 5, H303

Category 5, H303

Category 5, H303

Category 1, H318

Respiratory or skin sensitization:

Category 1, H334

Page **1** of **13** 



# Label elements GHS-US labeling

The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard Pictograms (GHS-US)



Signal words (GHS-US): Danger

Hazards statements (GHS-US):

H402 - Harmful to aquatic life

H333 - May be harmful if inhaled

H313 - May be harmful in contact with skin

H303 - May be harmful if swallowed H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms of

breathing difficulties if inhaled

Precautionary statements (GHS-US)

**Prevention:** 

P264 - Wash thoroughly after handling.

P352 - Wash with soap and water.

**Response:** 

P305 + P351 + P338 + P310: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing. Immediately call a Poison Center or

doctor/physician.

P302 + P352 + P333 + P313: Wash with plenty soap and water. If skin irritation or rash occurs: Get

medical advice/attention

Page **2** of **13** 



## Safety Data Sheet

P261 + P304 + P340 + P312: Avoid breathing dust/fumes, gas, mist, vapors, spray. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician

Storage:

P403+P233 store in a well ventilated place. Keep

container tightly closed

P403 + P235 Sore in a well ventilated place. Keep

cool

P405 Store locked up

Disposal:

P501 Dispose of contents and containers in accordance with local, regional and international regulations

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)-Annex III

#### Other hazards

No other information available

## **Unknown acute toxicity (GHS-US)**

No data available

# **Section 3: Composition/information on ingredients**

#### **Substances**

Name	<b>Product Identifier</b>	% by weight	GHS-US classification	
Special nuisance dust	Proprietary	99+	Acute toxicity inhalation 5, H333 Acute toxicity oral 3, H303	
mixture				
			Acute toxicity dermal, H313	
			Skin sensitization 3, H334	



	Aquatic acute 2, H402
--	-----------------------

Amounts specified are typical and do not represent a specification. Any other ingredients are either proprietary, non-hazardous or present in amounts below the reportable limits.

## **Section 4: First aid measures**

## **Description of necessary first aid measures**

#### First-aid measures general:

Symptoms of poisoning may even occur after several hours; therefore. medical observation for at least 48 hours after the accident.

#### First-aid measures after inhalation:

If affected, remove to fresh air. Dust in throat or nasal passage should clear spontaneously. Get medical attention if irritation persists or any discomfort, coughing or other symptoms continue or do not subside.

#### First-aid measures after skin contact:

Immediately remove contaminated clothing and shoes. Launder clothing before reuse. Seek medical attention if symptoms of irritation or burns occur.

#### First-aid measures after eye contact:

Do not rub eyes as additional corneal damage will continue to occur. Remove any contact lenses and open eyelids widely to flush immediately by thoroughly rinsing with plenty of clean water for at least 45 minutes to remove all particles. If possible, use isotonic water (0.9% Sodium Chloride). Contact an eye specialist immediately.

#### First-aid measures after ingestion:

Do not induce vomiting. Call a physician or poison control center immediately for further instructions. Never give anything by mouth to an unconscious or convulsing person. If person is conscious, rinse out the mouth with water and give plenty of water to drink. Get medical attention immediately.

# Most important and effects, both acute and delayed Symptoms:

Irritation may occur. Pre-existing skin problems may be aggravated by prolonged or repeated contact.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically



# **Section 5: Firefighting measures**

## **Extinguishing media**

#### Suitable extinguishing media:

All types of extinguishing media are suitable

Unsuitable extinguishing media:

None known

#### Special hazards arising from the substance or mixture

Fire hazard:

Poses no fire related hazard. Non-combustible material

**Explosion hazard:** 

Non-explosive

Reactivity:

Will not facilitate or support combustion of other materials.

## **Advice for firefighters**

**Firefighting instructions:** 

Not required

**Protection during firefighting:** 

No need for specialist fire-fighting equipment.

Additional information

# **Section 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures General measures:

Wear protective equipment as described under Section 8 and follow the advice of safe handling and use given under Section 7. Emergency procedures are not required.

## For non-emergency personnel

#### **Protective equipment:**

Wear chemical resistance (impervious) gloves

**Emergency procedures:** 

None required

#### For emergency responders

**Protective equipment:** 

Page **5** of **13** 



Not Applicable

#### **Emergency procedures:**

Not Applicable

#### **Environmental precautions**

Do not allow to enter drains, sewers or watercourses.

## Methods and material for containment and cleaning up

#### For containment:

Recover spillage in a dry state if possible.

#### Methods for cleaning up:

Use dry cleanup methods that do not promote airborne dispersions e.g.

Vacuum cleaner (Industrial portable units, equipped with high efficiency particulate filters (HEPA filter) or equivalent technique).

• Wipe up the dust by mopping, wet brushing or water sprays or hoses (fine mist to avoid the dust becoming airborne) and remove slurry. If not possible, remove by slurrying with water (see Wet product).

When wet cleaning or vacuum cleaning is not possible and only dry cleaning with brushes can be done, ensure that the workers wear appropriate personal protective equipment and prevent dust from spreading.

Avoid inhalation of product and contact with skin. Place spilled materials into a container. Solidify before disposal as described under Heading 13.

Wet product: Clean up wet product and place in a container. Allow material to dry and solidify before disposal as described under Heading 13.

#### Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protective equipment See Section 13 for disposal information

# **Section 7: Handling and storage**

Do not handle or store near food and beverages or smoking material

# Precautions for safe handling

#### **Precautions for safe handling:**

Do not ingest, avoid contact with skin and avoid contact with eyes. Avoid generating dust.

#### Hygiene measures:

General occupational hygiene measures are required to ensure safe handling of the product. These measures involve good personal and house-keeping practices. Wash hands after use if

Page **6** of **13** 



contaminated. Avoid wearing contaminated clothing. In dusty environment, wear dust mask, protective goggles and gloves.

# Conditions for safe storage, including any incompatibilities

#### **Storage conditions:**

Bulk material should be stored in silos that are waterproof. Packed products should be stored in unopened bags clear of the ground in cool, dry conditions and protected from excessive draught, humid conditions and excesses of temperatures to avoid degradation of quality.

#### **Incompatible products:**

See section 10

#### **Incompatible materials:**

See section 10

#### Storage area:

The product should be stored in a cool, dry and well-ventilated area, at ambient temperature directly out of the sunlight.

#### Special rules on packaging:

Bags should be stacked in a stable manner. Do not use Aluminum containers due to incompatibility of the materials.

## Specific end use(s)

# **Section 8: Exposure controls/personal protection**

# **Control parameters**

## **Occupational exposure limits:**

Chemical Name	CAS#	<b>EXPOSURE LIMITS</b>	
Special nuisance dust	Proprietary Mixture	OSHA PEL 5-10 mg/m <sup>3</sup>	
		ACGIH TLV .025-10 mg/m <sup>3</sup>	

# **Exposure controls**

Appropriate engineering controls:

Use only with adequate ventilation. If the operation generates dust, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure of airborne particulates below any recommended or statutory limits

Page **7** of **13** 



#### **Safety Data Sheet**

Personal protective equipment:

Wear fire-proof clothing, protective goggles and gloves. Wear respiratory protection in a poor ventilated environment.

Hand protection:

Wear impervious, waterproof, abrasion and alkali resistant gloves. Do not rely on barrier cream versus abrasion resistant gloves. Do not allow product inside the gloves.

Eye protection:

Chemical goggles or safety glasses with side-shields should be worn especially in a dust environment. Use contact lenses solely is not recommended.

Skin and body protection:

Wear impervious, waterproof, abrasion and alkali resistant boots and protective long sleeved and long legged clothing to protect the skin from contact with this product. Remove any clothing that becomes saturated with this product and thoroughly wash the exposed areas immediately.

Respiratory protection:

If a risk assessment indicates the necessity for respiratory protection, use a properly fitted particulate filter respirator. Selection of respirator will be based upon the hazards of the product, the known or anticipated exposure levels and the assigned protection factor of the respirator.

Thermal hazard protection:

Wear suitable protection clothing

Other information:

Clean water should always be available for skin and emergency (eye) washing. Periodically wash any area contacted with the product using a pH neutral soap and uncontaminated water. When using, do not eat, drink or smoke

# Section 9: Physical and chemical properties

Page **8** of **13** 



## Safety Data Sheet

## Information on basic physical and chemical properties

Physical state: Solid

Appearance: Powdery to grainy material

Color: Various

Odor: Odorless to earthen
Odor threshold: Not established

pH: Not Applicable

Relative evaporation rate (butyl acetate=1):

Boiling Range:

Mot Applicable

Not Applicable

Melting point:

Not Available

Freezing point:Not ApplicableAuto-ignition temperature:Not ApplicableDecomposition temperature:Not DeterminedFlammability (solid, gas):Not ApplicableVapor pressure:Not Applicable

Flash Point:

Flash Point Method:

Relative vapor density @ 20 ° C:

Not Applicable

Not Applicable

Relative density: 4-5

**Density:** 33-41 lbs / gal Insoluble in water **Solubility:** Log Pow: Not available Log Kow: Not Applicable Viscosity, kinematic: Not Applicable Viscosity, dynamic: Not Applicable **Explosive properties:** Not Applicable **Oxidizing properties:** None known

#### Other information:

**Explosive limits:** 

No further relevant information available

# Section 10: Stability and reactivity

Reactivity

No data available

**Chemical Stability** 

Page 9 of 13

Not Applicable



Product is stable under normal storage conditions

#### **Conditions to Avoid**

Avoid humid conditions during storage as this might cause lumps and loss of product quality **Incompatible Materials** 

Avoid strong acids, bases and strong oxidizers and avoid the uncontrolled use of Aluminum powder in the wet product as Hydrogen will be produced.

#### **Hazardous Decomposition Products**

Product will not decompose into other hazardous by-products and will not polymerize

# **Section 11: Toxicological information**

# Information on toxicological effects

#### **TOXICITY MEASURES:**

#### Acute toxicity:

Based upon available data, the classification criteria are not met

#### Skin corrosion/irritation: (Category 2)

When in contact with wet skin may cause thickening, cracking or fissuring on the skin. Prolonged contact in addition with abrasion may cause severe burns.

#### Serious eye damage/irritation: (Category 1)

Direct contact may cause corneal damage by mechanical stress, immediate or delayed irritation or inflammation. Direct contact by large amounts may cause effects ranging from moderate irritation to chemical burns and blindness.

#### Respiratory or skin sensitization: (Category 1)

Some individuals may develop eczema upon exposure by the high pH which induces irritant contact dermatitis after prolonged contact. The response may appear in a variety of forms ranging from a mild rash to severe dermatitis. There is no indication of sensitization to the respiratory system.

#### Germ cell mutagenicity:

This product is not classified as a mutagen

#### **Chronic Health Effects:**

Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.

Page **10** of **13** 



#### **Carcinogenicity:**

The product contains an ingredient that may cause cancer.

#### Reproductive toxicity:

Developmental: Based on available data, the criteria are not met

Teratogenicity: Not hazardous by WHMIS/OSHA criteria Embryotoxicity: Not hazardous by WHMIS/OSHA criteria Fertility: Based on available data, the criteria are not met

Specific target organ toxicity (single exposure):

May cause respiratory irritation

**Specific target organ toxicity (repeated exposure):** 

May cause damage to organs through prolonged or repeated exposure

**Aspiration hazard:** 

Based on available data, the criteria are not met

Other information:

Not available

# **Section 12: Ecological information**

All work practices must be aimed at eliminating environmental contamination.

## **Toxicity**

The product is not expected to be hazardous to the environment, but because of its high alkalinity the product may be toxic to aquatic life under certain conditions.

## Persistence and degradability

Not relevant as the components are inorganic and after hardening presents no toxicity risks.

# **Mobility**

Products is not volatile but may become airborne during handling operation.

#### Other adverse effects

Not determined for this product

# **Section 13: Disposal considerations**

#### Waste treatment methods

#### Regional legislation (waste):

Dispose of waste and unused contents in accordance with national and local regulations.

#### Waste disposal recommendations:

Ensure the use of properly authorized waste management companies where appropriate or uncertain.

Page **11** of **13** 



# **Section 14: Transport information**

The product is not covered by the international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID) and therefore no classification is required.

# **Section 15: Regulatory information**

#### **U.S. Federal Regulations**

#### **U.S. OSHA Regulatory Status:**

This material is classified as hazardous under OSHA regulations

#### **U.S SARA Reporting Requirements:**

The following components of this product are subject to reporting requirements of sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.

00=,00 : 0:::0 0=0 0: ::0:0 :::						
CHEMICAL	SECTION 302 EHS (TPQ)	SECTION 304 RQ	SECTION 313 TRI			
	(40 CFR 355, Appendix A)		(40 CFR 372.65)			
Proprietary Mixture	No	No	No			

#### A Section 311/312 (40 CFR 370) Hazard Categories:

ACUTE: Yes; CHRONIC: Yes; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No

#### **Toxic Substances Control Act (TSCA):**

All components of this product are included on the TSCA inventory

#### **U.S. CERCLA Reportable Quantity (RQ):**

This product is not listed under CERCLA

#### U.S. Clean Air Act Threshold Quantity (TQ):

This product is not listed.

#### **U.S. Clean Water Act Requirements:**

This product is not listed

#### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product contains crystalline silica, quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **European Inventory of Existing Chemicals (EINECS.**

All of the components of this product are included on EINECS

# **Section 16: Other information**

**Indication of changes:** 

Other information:

Page **12** of **13** 





NFPA health hazard: 2-Moderately toxic or hazardous material which require additional PPE or

equipment other than safety goggles and gloves. **NFPA fire hazard:**0-Material is not combustible

**NFPA reactivity:** 0-Normally stable, even under fire exposure conditions, and not reactive with

water

#### Notice to Reader

The information provided herein is believed to be accurate at the time of preparation or prepared from sources deemed to be reliable, but it is the full responsibility of the user to investigate and comprehend other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. Super Stone Inc. makes no warranty, expressed or implied, concerning the product or merchantability or fitness thereof for any purpose or concerning the accuracy of any information provided by Super Stone Inc., except that the product shall conform to Super Stone's specification.